Physica C 210 (1993) 537–540
North-Holland

PHYSICA C

# Author Index to Volume 210

Abell, J.S., see A. Marshall **210**, 518
Acquarone, M. and M. Paiusco, Diamagnetic impurity effects on the Néel temperature in $La_2CuO_4$ and related materials **210**, 373
Adrian, H., see C.L. Jia **210**, 1
Affronte, M., see C. Escribe-Filippini **210**, 133
Agassi, D. and R.D. Bardo, Pinning properties of a disordered planar defect **210**, 114
Agassi, D. and R.D. Bardo, Flux pinning and critical currents in a disordered grain boundary model **210**, 127
Akimitsu, J., see H. Takahashi **210**, 485
Alexander, K.B., see A. Goyal **210**, 197
Amelinckx, S., see T. Krekels **210**, 439
Arndt, T., W. Schauer and J. Reiner, A new extended critical state model including the lower critical field and screening **210**, 417
Asaf, U., see I. Felner **210**, 55
Askenazy, S., see C. Escribe-Filippini **210**, 133
Azuma, M., see N. Ikeda **210**, 367

Baak, J., S.I. Mukhin, H.B. Brom, M.J.V. Menken and A.A. Menovsky, The nuclear contribution to the specific heat of single crystals of $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ **210**, 391
Balestrino, G., E. Milani and A.A. Varlamov, Effects of redox thermal treatments on the transverse resistance peak at the edge of the superconducting transition in $Bi_2Sr_2CaCu_2O_{8+x}$ **210**, 386
Bando, Y., see N. Ikeda **210**, 367
Bardo, R.D., see D. Agassi**210**, 114, 127
Bauminger, E.R., see I. Felner **210**, 55
Beno, M.A., see J.L. Wagner **210**, 447
Bolmont, D., see B. Loegel **210**, 432
Bourée, F., see E. Suard **210**, 164
Bourgault, D., see B. Loegel **210**, 432
Brom, H.B., see J. Baak **210**, 391
Broto, J.M., see C. Escribe-Filippini **210**, 133
Burns, S.J., see A. Goyal **210**, 197

Cagigal, M., see M.A. Crusellas **210**, 221
Caignaert, V., see E. Suard **210**, 164
Callaway, J., see H. Chen **210**, 308
Cao, L.H., see S.W. Wang **210**, 463
Carbotte, J.P., see C. Jiang **210**, 325
Chandra, S., see K.K. Saini **210**, 502
Chen, H. and J. Callaway, Lattice dielectric functions of $Nd_2CuO_4$ and $La_2CuO_4$ based on the shell model **210**, 308
Chen, Z.Y., see S.W. Wang **210**, 463
Cherny, A.Yu. and T. Galbaatar, The influence of an order–disorder type structural phase transition on the isotope effect **210**, 35
Conder, K., E. Kaldis, M. Maciejewski, K.A. Müller and E.F. Steigmeier, Oxygen isotope exchange kinetics and site-selective oxygen substitution in $YBa_2Cu_3{}^{18}O_{7-x}$ **210**, 282
Crusellas, M.A., J. Fontcuberta, S. Piñol, M. Cagigal and J.L. Vicent, Two-band conduction in the normal state of a superconducting $Sm_{1.85}Ce_{0.15}CuO_4$ single crystal **210**, 221

Dabrowski, B., see J.L. Wagner **210**, 447
Danesi, P., see B. Loegel **210**, 432
Datars, W.R., see T.W. Krause **210**, 333
Datta, A., C.M. Srivastava and N. Venkataramani, Normal state DC electrical resistivity in RE-123 superconductors **210**, 408
Demin, A.K., see M.V. Patrakeev **210**, 213

Edwards, J.A., see R.G. Humphreys **210**, 42
Enomoto, Y., see Ch. Neumann **210**, 138
Escribe-Filippini, C., J. Marcus, M. Affronte, H. Rakoto, J.M. Broto, J.C. Ousset and S. Askenazy, Upper critical field of $Ba_{1-x}K_xBiO_3$ single crystal **210**, 133

Farzetdinova, R.M., see E.Z. Meilikhov **210**, 473
Felner, I., I. Nowik, U. Asaf, G. Yona, U. Yaron and E.R. Bauminger, Magnetism and superconductivity in $Y_{1-x}Ca_xSr_2GaCu_2O_{7-\delta}$ **210**, 55
Fischer, K.H., Kosterlitz–Thouless transition in layered high-$T_c$ superconductors **210**, 179
Fontcuberta, J., see M.A. Crusellas **210**, 221
Freeman, A.J., see D.L. Novikov **210**, 301
Fueki, K., see Y. Idemoto **210**, 315
Fujishita, H., M. Sato, Y. Morii and S. Funahashi, Crystal structure determination of $Pb_2Sr_2YCu_3O_{8+\delta}$ ($\delta=0$, 1.67) by powder neutron diffraction **210**, 529
Funahashi, S., see H. Fujishita **210**, 529
Funakura, M., see A. Oota **210**, 489
Funkenbusch, P.D., see A. Goyal **210**, 197

Galbaatar, T., see A.Yu. Cherny **210**, 35
Ginsbach, A., see J.-H. Müller **210**, 173
Goutenoire, F., M. Hervieu, A. Maignan, C. Michel, C. Martin and B. Raveau, A 62 K superconductor with an original structure: $Sr_{4-x}Ba_xTlCu_2CO_3O_7$ **210**, 359
Goyal, A., K.B. Alexander, D.M. Kroeger, P.D. Funkenbusch and S.J. Burns, Solidification of $YBa_2Cu_3O_{7-\delta}$ from the melt **210**, 197
Gray, T.J., see A. Marshall **210**, 518
Greaves, C., see T. Krekels **210**, 439
Grovenor, C.R.M., see H. Huang **210**, 87

Gruehn, R., see J.-H. Müller **210**, 173
Gubanov, V.A., see D.L. Novikov **210**, 301
Gyorffy, B.L., see P. Miller **210**, 343

Hahn, T., see C.L. Jia **210**, 1
Han, B., see J. Hu **210**, 97
Hayashi, K., see Ch. Neumann **210**, 138
Hervieu, M., see F. Goutenoire **210**, 359
Hinds, B.J., see J. Hu **210**, 97
Hinks, D.G., see J.L. Wagner **210**, 447
Hiroi, Z., see N. Ikeda **210**, 367
Holguin, E., see A. Mariño **210**, 16
Hong, Z.L., see M.Q. Wang **210**, 413
Hu, J., D.J. Miller, D.L. Schulz, B. Han, D.A. Neumayer, B.J. Hinds and T.J. Marks, Transmission electron microscopic characterization of metal–organic chemical vapor deposition-derived superconducting $Tl_2Ba_2Ca_1Cu_2O_x$ thin films on Au substrates Evidence for Au–Cu alloy formation and texturing on a nonplanar metal substrate **210**, 97
Huang, H. and C.R.M. Grovenor, An electrochemical method for studying high oxygen activity effects in textured $YBa_2Cu_3O_{7-x}$ bulk and thick film samples **210**, 87
Humphreys, R.G. and J.A. Edwards, $YBa_2Cu_3O_7$ thin film grain boundary junctions in a perpendicular magnetic field **210**, 42

Idemoto, Y., T. Muroga and K. Fueki, Electronic structure of $(Nd, Ce)_2(Ba, Nd)_2Cu_3O_y$ **210**, 315
Ikeda, N., Z. Hiroi, M. Azuma, M. Takano, Y. Bando and Y. Takeda, Synthesis and superconducting properties of the infinite-layer compounds $Sr_{1-x}Ln_xCuO_2$ (Ln = La, Nd, Sm, Gd) **210**, 367
Iwaya, J., see A. Oota **210**, 489

Jakob, G., see C.L. Jia **210**, 1
Janko, B., see P. Miller **210**, 343
Jia, C.L., H. Soltner, G. Jakob, T. Hahn, H. Adrian and K. Urban, Structural and compositional characterization of $(YBa_2Cu_3O_7)_m/(PrBa_2Cu_3O_7)_n$ superlattices by means of high-resolution electron microscopy **210**, 1
Jiang, C. and J.P. Carbotte, Thermodynamics of layered strong coupling superconductors **210**, 325
Jorgensen, J.D., see J.L. Wagner **210**, 447

Kaldis, E., see K. Conder **210**, 282
Kant, C., see K.K. Saini **210**, 502
Klapwijk, T.M., see A.F. Volkov **210**, 21
Knapp, G.S., see J.L. Wagner **210**, 447
Koyama, T. and M. Tachiki, Theory for the upper critical field in superconducting multilayers with interface irregularities **210**, 509
Kozhevnikov, V.L., see M.V. Patrakeev **210**, 213
Krause, T.W., R.K. Nkum and W.R. Datars, Intergrain and intragrain superconductivity in Sn- and Sb-doped $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$ **210**, 333
Krekels, T., O. Milat, G. Van Tendeloo, J. Van Landuyt, S. Amelinckx, P.R. Slater and C. Greaves, $SO_4$-chain formation and ordering in $[YSrCa]Sr_2Cu_{2.78}(SO_4)_{0.22}O_{7-\delta}$ **210**, 439
Kroeger, D.M., see A. Goyal **210**, 197
Kronmüller, H., see S. Nieber **210**, 188
Kugai, H., see H. Takei **210**, 109

Lazarides, N., T. Schneider and M.P. Sørensen, Multilayer high-temperature superconductors **210**, 228
Leonidov, I.A., see M.V. Patrakeev **210**, 213
Li, F., see Y. Yao **210**, 80
Li, J., see Y. Yao **210**, 80
Li, R.K., see S.W. Wang **210**, 463
Lin, J.J., W.Y. Lin and R.F. Tsui, Electrical transport and superconductivity in the $Al_2O_3$–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ and MgO–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ composites **210**, 455
Lin, W.Y., see J.J. Lin **210**, 455
Liu, S., see Y. Yao **210**, 80
Loegel, B., A. Mehdaoui, D. Bolmont, P. Danesi, D. Bourgault and R. Tournier, Irreversibility line and anisotropy of magnetic melt textured $Y_1Ba_2Cu_3O_{7-\delta}$ studied by AC susceptibility **210**, 432

Maciejewski, M., see K. Conder **210**, 282
Maignan, A., see E. Suard **210**, 164
Maignan, A., see A.Q. Pham **210**, 350
Maignan, A., see F. Goutenoire **210**, 359
Marchenko, V.A. and A.V. Nikulov, Anisotropy of the resistive transition width of conventional type II superconductors at the second critical field $H_{c2}$ **210**, 466
Marcus, J., see C. Escribe-Filippini **210**, 133
Mariño, A., T. Yasuda, E. Holguin and L. Rinderer, Preparation and electrical properties of Bi(Pb)–Sr–Ca–Cu–O single-phase high-$T_c$ films **210**, 16
Markiewicz, R.S., Van Hove excitons and high-$T_c$ superconductivity. VIIIC. Dynamic Jahn–Teller effects versus spin–orbit coupling in the LTO phase of $La_{2-x}Sr_xCuO_4$ **210**, 235
Markiewicz, R.S., Van Hove exciton-cageons and high-$T_c$ superconductivity. VIIID. Solitons and nonlinear dynamics **210**, 264
Marks, T.J., see J. Hu **210**, 97
Marshall, A., T.J. Gray, F. Wellhöfer and J.S. Abell, The influence of a zirconia environment on the melt processing of $YBa_2Cu_3O_{7-x}$ **210**, 518
Martin, C., see F. Goutenoire **210**, 359
Matsui, H., see A. Oota **210**, 489
McCallum, R.W., see S.I. Yoo**210**, 147, 157
Mehdaoui, A., see B. Loegel **210**, 432
Meilikhov, E.Z. and R.M. Farzetdinova, Anomalous Hall effect in the mixed state of high-temperature superconductors **210**, 473
Menken, M.J.V., see J. Baak **210**, 391
Menovsky, A.A., see J. Baak **210**, 391
Merrien, N., see A.Q. Pham **210**, 350
Michel, C., see A.Q. Pham **210**, 350
Michel, C., see F. Goutenoire **210**, 359

Milani, E., see G. Balestrino **210**, 386
Milat, O., see T. Krekels **210**, 439
Miller, D.J., see J. Hu **210**, 97
Miller, P., B. Janko and B.L. Gyorffy, On the coexistence of superconductivity and charge density waves **210**, 343
Mitchell, J.F., see J.L. Wagner **210**, 447
Mitsuyama, K., see A. Oota **210**, 489
Morán-López, J.L. and J.M. Sanchez, The phase diagram of oxygen ordering in $YBa_2Cu_3O_{6+\delta}$. The nine point cluster approximation **210**, 401
Môri, N., see H. Takahashi **210**, 485
Morii, Y., see H. Fujishita **210**, 529
Mukhin, S.I., see J. Baak **210**, 391
Müller, J.-H., R. Gruehn and A. Ginsbach, TEM and HRTEM cross section investigations of the microstructure of $YBa_2Cu_3O_{7-x}$ thin films on oriented NiO single crystals **210**, 173
Müller, K.A., see K. Conder **210**, 282
Muroga, T., see Y. Idemoto **210**, 315

Nagata, Y., see H. Takahashi **210**, 485
Nakamura, S., see H. Takahashi **210**, 485
Neumann, Ch., K. Yamaguchi, K. Hayashi, K. Suzuki, Y. Enomoto and S. Tanaka, Fabrication of high $I_c \times R_n$ YBCO–Josephson-junctions on MgO-substrates using a focused-ion-beam system **210**, 138
Neumayer, D.A., see J. Hu **210**, 97
Nieber, S. and H. Kronmüller, Intrinsic pinning in high-$T_c$ superconductors **210**, 188
Nikulov, A.V., see V.A. Marchenko **210**, 466
Nkum, R.K., see T.W. Krause **210**, 333
Novikov, D.L., V.A. Gubanov and A.J. Freeman, Electronic structure and Fermi surface topology of the infinite-layered superconductor $Sr_{1-x}Ca_xCuO_2$ **210**, 301
Nowik, I., see I. Felner **210**, 55

Oota, A., H. Matsui, M. Funakura, J. Iwaya and K. Mitsuyama, Fabrication, microstructure and critical current density of screen-printed Ag–$(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ superconducting tapes **210**, 489
Ousset, J.C., see C. Escribe-Filippini **210**, 133

Paiusco, M., see M. Acquarone **210**, 373
Parish, J.L., Note on dynamic conductivity from tunneling experiments in a high-$T_c$ superconductor **210**, 106
Patrakeev, M.V., I.A. Leonidov, V.L. Kozhevnikov, V.I. Tsidilkovskii and A.K. Demin, The oxygen conductivity and chemical diffusion in $YBa_2Cu_3O_{6+x}$ **210**, 213
Pawłowski, G., see S. Robaszkiewicz **210**, 61
Peng, Y., see Y. Yao **210**, 80
Pham, A.Q., N. Merrien, A. Maignan, F. Studer, C. Michel and B. Raveau, Origin of the metal–insulator transition in the superconducting series $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **210**, 350
Piñol, S., see M.A. Crusellas **210**, 221

Qian, Y.T., see S.W. Wang **210**, 463

Radaelli, P.G., see J.L. Wagner **210**, 447
Rakoto, H., see C. Escribe-Filippini **210**, 133
Raveau, B., see E. Suard **210**, 164
Raveau, B., see A.Q. Pham **210**, 350
Raveau, B., see F. Goutenoire **210**, 359
Reiner, J., see T. Arndt **210**, 417
Rinderer, L., see A. Mariño **210**, 16
Robaszkiewicz, S. and G. Pawłowski, Effects of finite pair binding energy in a model of a superconductor with local electron pairing **210**, 61

Saini, K.K., C.P. Sharma, C. Kant, D.K. Suri, S. Chandra and S.P. Tiwari, Optimization of synthetic parameters for Tl-2201 superconducting phase by flash sintering process **210**, 502
Sanchez, J.M., see J.L. Morán-López **210**, 401
Sato, M., see H. Fujishita **210**, 529
Schauer, W., see T. Arndt **210**, 417
Schneider, T., see N. Lazarides **210**, 228
Schulz, D.L., see J. Hu **210**, 97
Sharma, C.P., see K.K. Saini **210**, 502
Slater, P.R., see T. Krekels **210**, 439
Soltner, H., see C.L. Jia **210**, 1
Sørensen, M.P., see N. Lazarides **210**, 228
Srivastava, C.M., see A. Datta **210**, 408
Steigmeier, E.F., see K. Conder **210**, 282
Studer, F., see A.Q. Pham **210**, 350
Suard, E., V. Caignaert, A. Maignan, F. Bourée and B. Raveau, Influence of thermal treatment on $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$. A neutron diffraction study **210**, 164
Suri, D.K., see K.K. Saini **210**, 502
Suzuki, K., see Ch. Neumann **210**, 138

Tachiki, M., see T. Koyama **210**, 509
Tada, K., see H. Takei **210**, 109
Takahashi, H., N. Môri, Y. Nagata, S. Nakamura, T. Uchida, J. Akimitsu and Y. Tokura, High pressure study on the superconducting transition temperature and Hall coefficient of $Ba_{1-x}K_xBiO_3$ up to 8 GPa **210**, 485
Takano, M., see N. Ikeda **210**, 367
Takeda, Y., see N. Ikeda **210**, 367
Takei, H., H. Kugai, Y. Torii and K. Tada, Resistive transition in TlBiSrCaCuO thin films in magnetic fields **210**, 109
Tanaka, S., see Ch. Neumann **210**, 138
Tang, X.M., see M.Q. Wang **210**, 413
Tiwari, S.P., see K.K. Saini **210**, 502
Tokura, Y., see H. Takahashi **210**, 485
Torii, Y., see H. Takei **210**, 109
Tournier, R., see B. Loegel **210**, 432
Tsidilkovskii, V.I., see M.V. Patrakeev **210**, 213
Tsui, R.F., see J.J. Lin **210**, 455

Uchida, T., see H. Takahashi **210**, 485
Urban, K., see C.L. Jia **210**, 1

Van Landuyt, J., see T. Krekels **210**, 439
Van Tendeloo, G., see T. Krekels **210**, 439

Varlamov, A.A., see G. Balestrino **210**, 386
Venkataramani, N., see A. Datta **210**, 408
Vicent, J.L., see M.A. Crusellas **210**, 221
Volkov, A.F., A.V. Zaitsev and T.M. Klapwijk, Proximity effect under nonequilibrium conditions in double-barrier superconducting junctions **210**, 21

Wagner, J.L., P.G. Radaelli, D.G. Hinks, J.D. Jorgensen, J.F. Mitchell, B. Dabrowski, G.S. Knapp and M.A. Beno, Structure and superconductivity of $HgBa_2CuO_{4+\delta}$ **210**, 447
Wang, M.Q., G.H. Xiong, X.M. Tang and Z.L. Hong, The formation mechanism of $Bi_2Sr_2Ca_2Cu_3O_x$ superconducting phase **210**, 413
Wang, N.L., see S.W. Wang **210**, 463
Wang, S.W., Y.T. Qian, R.K. Li, Z.Y. Chen, N.L. Wang, L.H. Cao, G.E. Zhou and Y.H. Zhang, Superconductivity at 27 K in Nb-1222 cuprate: $NbSr_2(GdCe)_2Cu_2O_y$ **210**, 463
Wang, W., see Y. Yao **210**, 80
Wellhöfer, F., see A. Marshall **210**, 518

Xiong, G.H., see M.Q. Wang **210**, 413
Xu, W., see Y. Yao **210**, 80

Yamaguchi, K., see Ch. Neumann **210**, 138
Yao, Y., W. Xu, X. Zhou, J. Li, Z. Zhao, Y. Peng, F. Li, S. Liu and W. Wang, Superconductivity and microstructure of infinite-layered $(SrNd)CuO_2$ prepared under high pressure **210**, 80
Yaron, U., see I. Felner **210**, 55
Yasuda, T., see A. Mariño **210**, 16
Yona, G., see I. Felner **210**, 55
Yoo, S.I. and R.W. McCallum, Phase diagram in the Nd–Ba–Cu–O system **210**, 147
Yoo, S.I. and R.W. McCallum, Flux creep in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ ($x$=0.0–0.1) **210**, 157

Zaitsev, A.V., see A.F. Volkov **210**, 21
Zhang, Y.H., see S.W. Wang **210**, 463
Zhao, Z., see Y. Yao **210**, 80
Zhou, G.E., see S.W. Wang **210**, 463
Zhou, X., see Y. Yao **210**, 80

Physica C 210 (1993) 541–542
North-Holland

PHYSICA C

# Analytic Subject Index to Volume 210

AC susceptibility 432
Anharmonicity 264
Anisotropic superconductor 109, 301, 325, 432
Antiferromagnetic order
–in $La_2CuO_4$ 373
Applications of high-$T_c$ superconductors 138, 489

Band structure 350
BCS model 228

Carrier concentration 315, 485
Charge-density waves 235, 264, 343
Coherence length 133
Composites
–of $Al_2O_3$–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ 455
–of MgO–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ 455
Copper valence 315
Critical current density 16, 114, 127, 188, 197, 489
Critical state model 417
Cu–O chains 391

Defect structures 173, 197, 413, 447
Dielectric response 308

Electrical resistivity 109, 315, 333, 408, 455, 463, 485, 502
–in $Bi_2Sr_2CaCu_2O_{8+x}$ 386
Electrochemical method 87
Electronic structure
–of $(Nd,Ce)_2(Ba,Nd)_2Cu_3O_y$ 315
–of $Sr_{1-x}Ca_xCuO_2$ 301
Electron microscopy 518
Electron–phonon coupling 106, 235, 264, 408
Eliashberg equations 325
Energy gap 21, 106
Excitonic mechanism 235

Fermi surface 301, 408
Fermi velocity 386
Fluctuation effects 61, 114, 235, 386, 466
Flux creep 109
Flux dynamics
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ 157
Flux flow 473
Flux pinning 114, 127, 157, 188, 432

Ginzburg–Landau theory 188
Grain alignment 97
Grain boundaries 42, 127
Granular superconductivity 333

Hall effect 221, 473, 485
Harmonic susceptibility 417
High-pressure effect 80, 485
High-pressure synthesis
–of $Sr_{1-x}Ln_xCuO_2$ (Ln = La, Nd, Sm, Gd) 367
HREM 1, 173, 359, 439
Hubbard Hamiltonian 343

Impurity effects 373, 391
Infinite-layer compound 367
Interface irregularities 509
Irreversibility line 432
Isotope effect 35, 282

Josephson coupling 179
Josephson effect 42, 138, 228

Kosterlitz–Thouless model 179

Lattice parameters 447
Layered superconductors 228
Local electron pairing 61
Lower critical field $H_{c1}$ 417

Magnetic relaxation 157
Magnetic susceptibility 61
Magnetization 55, 417, 455
Magnetoresistance 221, 466
Meissner effect 343
Metal–insulator transition 350, 373
Microstucture 489
Mixed state 473
Modulated structures 439
Mössbauer spectroscopy 55
Multilayers 1, 179, 509

Neutron diffraction 164, 447, 529
Nuclear specific heat 391

Optical spectroscopy 308
O–T transition 391
Oxygen diffusion 213, 282
Oxygen ordering 391
Oxygen stoichiometry 87, 213, 282, 315, 391

Peierls potential 188
Penetration depth 114
Percolation model 455
Phase diagram 391
Phase separation 529
Phase stability 147
Phonons 308
Phonon spectrum 35
Point defect 157
Proximity effect 21

Raman scattering 308
Rietveld analysis 529

Screen printing 489
Solitons 264
Solubility limit 147
Specific heat 61, 325
SQUID 228
Strong coupling superconductors 325
Structural phase transition 35, 235, 264, 413
Structure
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ ($\delta = 0, 1.67$) 529
–of $Sr_{4-x}Ba_xTlCu_2CO_3O_7$ 359
–of (SrNd)$CuO_2$ 80
–of $Tl_2Ba_2Ca_1Cu_2O_x$ 97
–of $Tl_2Ba_2Cu_{1.2}$ 502
–of $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$ 164
–of $(YBa_2Cu_3O_7)_m/(PrBa_2Cu_3O_7)_n$ 1
–of [YSrCa]$Sr_2Cu_{2.78}(SO_4)_{0.22}O_{7-\delta}$ 439
Substitution effects
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 350
–in $Sr_{1-x}Ln_xCuO_2$ (Ln = La, Nd, Sm, Gd) 367
–in $Y_{1-x}Ca_xSr_2GaCu_2O_{7-\delta}$ 55
Synthesis
–of $Bi_2Sr_2Ca_2Cu_3O_x$ 413
–of Bi(Pb)–Sr–Ca–Cu–O 16
–of $HgBa_2CuO_{4+\delta}$ 447
–of $NbSr_2(GdCe)_2Cu_2O_y$ 463
–of Nd–Ba–Cu–O 147
–of $Sr_{4-x}Ba_xTlCu_2CO_3O_7$ 359
–of (SrNd)$CuO_2$ 80

–of $Tl_2Ba_2Ca_1Cu_2O_x$ 97
–of $Tl_2Ba_2Cu_{1.2}$ 502
–of $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$ 164
–of $YBa_2Cu_3O_{7-\delta}$ 197
–of $YBa_2Cu_3O_{7-x}$ 518

Thin films 16, 42, 97, 109, 173, 386, 518
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 417

Tunneling 21, 106
Two-band model 221

Upper critical field $H_{c2}$ 61, 133, 466, 509

Weak links 114, 127, 138, 333

X-ray absorption spectroscopy 350
X-ray diffraction 87, 463